Cumulative Index

February-May

Page numbers of symposium and clinic titles are given in **boldface** type.

ABNORMALITIES. See also under organs and regions.
  chromosomal. See *Chromosomes, abnormalities.*
  congenital, of heart and great vessels, *Feb.*, **55–105**
    relation to gynecologic surgery, *Feb.*, 46–50
  Ebstein's anomaly, *Feb.*, 132; *May*, 279
    treatment, *May*, 307
  Taussig-Bing deformity, *Feb.*, 133
Acetazolamide (Diamox) in cardiac arrhythmias, *May*, 358
Acetylcholine bromide in supraventricular tachycardia, *May*, 328, 329
Acetyldigitoxin (Acylanid), *May*, 238
  dosage, *May*, 241
Acetylsalicylic acid (aspirin)
  in rheumatic fever, *May*, 220
  poisoning, fluid therapy in, *Feb.*, 11
Achylia, pancreatic, in cystic fibrosis, *Feb.*, 143
Acidosis
  diabetic, fluid therapy in, *Feb.*, 10
  in diarrhea, *Feb.*, 6–7
  sodium bicarbonate in, *Feb.*, 5
Actinomysin D in nephroblastoma, *Feb.*, 40
Activity. See also *Exercise.*
  in cystic fibrosis of pancreas, *Feb.*, 145
  in rheumatic fever, *May*, 223
Acylanid. See *Acetyldigitoxin.*
Adams-Stokes attacks, death in myocarditis due to, *May*, 418
Adrenals. See also *Cushing's syndrome.*
  cortex, insufficiency, fluid therapy in, *Feb.*, 11
  hyperplasia, congenital, *Feb.*, 46–7
    hypertension due to, *May*, 447
  influence of steroid therapy on, *Feb.*, 20
  tumors, aldosterone-secreting, hypertension due to, *May*, 447
Adrenocortical hormones in shock, *May*, 477–9
Adrenocortical insufficiency, fluid therapy in, *Feb.*, 11
Adrenocorticosteroids in myocarditis, *May*, 413
Advances, clinical
  in pediatric allergy, *Feb.*, **17–31**
  in pediatric surgery, *Feb.*, **33–44**
  symposium on, *Feb.*, **1–200**
Aerosol treatments in cystic fibrosis of pancreas, *Feb.*, 144
Aganglionic megacolon, *Feb.*, 38
Age, relation to blood pressure, *May*, 432, 433
Agenesis, ovarian, *Feb.*, 48
Airway. See *Respiratory tract.*
Albumin for shock in diarrhea, *Feb.*, 6
Aldactone. See *Spironolactone.*
Aldosterone-secreting tumors of adrenals, hypertension due to, *May*, 447
Aldosteronism, primary, hypertension due to, surgical treatment, *May*, 459
Allergy. See also *Asthma; Eczema.*
  advances in last 10 years, *Feb.*, **17–31**
  bacterial, asthma due to, *Feb.*, 22
  steroid therapy, *Feb.*, 18–21
  to cow's milk, *Feb.*, 22–7
Aminophylline in cardiac arrhythmias, *May*, 359
Anemia due to diarrhea, blood transfusion for, *Feb.*, 5
Anesthesia. See also *Surgery.*
  advances in, *Feb.*, 42
Aneurysm of aortic sinus, rupture into right atrium, *Feb.*, 62
Anomalies. See *Abnormalities;* and under organs and regions.
Anoxemia vs. heart failure, *May*, 255
Ansolysen. See *Pentolinium.*
Antibiotics. See also specific drugs.
  in cystic fibrosis of pancreas, *Feb.*, 145
  in pneumonia complicating acyanotic congenital heart disease, *May*, 311, 312
Antibodies, streptococcal, in diagnosis of rheumatic fever, *May*, 214

Antihistaminics in pneumonia complicating acyanotic congenital heart disease, *May*, 311
Antipyresis in shock, *May*, 474–5
Antirheumatic agent in rheumatic fever, *May*, 218–19
Anuria, fluid therapy in, *Feb.*, 12
Anus, imperforate, surgical advances in, *Feb.*, 35–6
Aorta
coarctation, *Feb.*, 111–12, 135
hypertension due to, *May*, 445, 446
surgical treatment, *May*, 460
treatment, *May*, 308–309
left ventricular hypertrophy with shunts arising from, *Feb.*, 117–19
Aortic arch, interruption proximal to patent ductus arteriosus and ventricular septal defect, *Feb.*, 120
Aortic-pulmonary window, *May*, 305–306
Aortic runoffs, hypertension due to, *May*, 446
Aortic sinus, aneurysm, rupture of
into right atrium, *Feb.*, 62
into right ventricle, *Feb.*, 64
Aortic valve
atresia, *Feb.*, 129
regurgitation complicating ventricular septal defect, *Feb.*, 120
stenosis, *Feb.*, 112, 135
treatment, *May*, 308
Aorticopulmonary septal defect, *Feb.*, 74
vs. classic patent ductus arteriosus, *Feb.*, 66
with occlusive pulmonary vascular disease, *Feb.*, 82
Aorticopulmonary window, *Feb.*, 118
Apresoline. See *Hydralazine hydrochloride.*
Aramine. See *Metaramine.*
Arfonad. See *Trimethaphan.*
Arrest, cardiac, *May*, 353–6
Arrhythmias. See also *Heart, block; Heart, rate.*
bigeminy, *May*, 334
death in myocarditis due to, *May*, 422–3
due to digitalis, *May*, 237
postoperative, in cyanotic congenital heart disease, *May*, 288–9
rhythms arising in atria, *May*, 322–34
rhythms arising in ventricle, *May*, 334–41
rhythms originating from sinus node, *May*, 316–22
rhythms originating in atrioventricular node, *May*, 334
sinus, *May*, 319–20
treatment, *May*, 315–62
Arteries. See also *Aneurysm; Aorta; Blood vessels; Ductus arteriosus;* etc.
coronary, accessory, arising from pulmonary trunk, *Feb.*, 66
anomalous communication with coronary sinus or right atrium, *Feb.*, 62
communication with right ventricle, *Feb.*, 64
left, anomalous, *Feb.*, 113
anomalous origin from pulmonary trunk, *Feb.*, 66
great, transposition of, complete *May*, 279–81
pulmonary, *Feb.*, 115
and left atrium, direct connection between, *Feb.*, 100
coarctation, *Feb.*, 115
normal, *Feb.*, 57
with cyanosis, *Feb.*, 89–101
with normal right ventricular and pulmonary arterial pressures, *Feb.*, 98–101
with right ventricular hypertension without pulmonary arterial hypertension, *Feb.*, 89–97
without cyanosis, *Feb.*, 77
prominent, with cyanosis, *Feb.*, 78–88
with normal right ventricular and pulmonary arterial pressures, *Feb.*, 79
with right ventricular and pulmonary arterial hypertension, *Feb.*, 80–88
without cyanosis, *Feb.*, 58–76
with normal right ventricular and pulmonary arterial pressures, *Feb.*, 59–67
with right ventricular and pulmonary arterial hypertension, *Feb.*, 68–75
with right ventricular hypertension without pulmonary arterial hypertension, *Feb.*, 76
renal, stenosis of, hypertension due to, *May*, 441 ff.
Arteriovenous fistula, pulmonary, *Feb.*, 100
Asphyxia, birth, *May*, 369–73
Aspiration pneumonia, meconium, with acute cor pulmonale, *May*, 397–8
Aspirin. See *Acetylsalicylic acid.*
Asthma. See also *Allergy.*
bacterial sensitization in, *Feb.*, 21–2
due to bacterial allergy, *Feb.*, 22
Ataractics in cardiac arrhythmias, *May*, 358

Atarax. See *Hydroxyzine hydrochloride.*
Atresia. See under organ or region affected.
Atrial extrasystoles, *May,* 323
Atrial fibrillation, *May,* 332–4
Atrial flutter, *May,* 331–2
Atrial septal defect, *Feb.,* 121–2, 135
  associated with mitral valve cleft, *Feb.,* 60
  at fossa ovalis, *Feb.,* 60
  complicated, *Feb.,* 122–3
  complicating ventricular septal defect, *Feb.,* 120
  ostium secundum, *May,* 303–304
  sinus venosus type, *Feb.,* 79
  superior to fossa ovalis, *Feb.,* 79
  treatment, *May,* 312–13
  with occlusive pulmonary vascular disease, *Feb.,* 80
Atrial shunt, left-to-right, *May,* 303–304
Atrial tachycardia, paroxysmal, with block, *May,* 330–31
Atrioventricular block, *May,* 343–8
  death in myocarditis due to, *May,* 416, 417, 418, 419
  first-degree, *May,* 343–4
  second-degree, *May,* 344–5
Atrioventricular canal, common, persistent, *Feb.,* 70
Atrioventricular dissociation, *May,* 342–3
  death in myocarditis due to, *May,* 417
Atrioventricular valves, patent, and transposition of great vessels, with common ventricle, *Feb.,* 86
Atrioventricularis communis, *Feb.,* 122, 124
Atrium
  common, *May,* 278–9
  left, and pulmonary artery, direct connection between, *Feb.,* 100
    connection of systemic vein with, *Feb.,* 100
  rhythms arising in, *May,* 322–34
  right, anomalous communication of coronary artery with, *Feb.,* 62
    blood shunt into, *Feb.,* 60–63
    communication with left ventricle, *Feb.,* 62
    rupture of aneurysm of aortic sinus into, *Feb.,* 62

BACTEREMIA, shock syndrome in, *May,* 468
Bacteria
  allergy to, asthma due to, *Feb.,* 22
  endocarditis due to. See *Endocarditis, bacterial.*
  sensitization in asthma, *Feb.,* 21–2

Benemid. See *Probenecid.*
Bigeminy, *May,* 334
Biliary tract. See also *Gallbladder; Liver.*
  atresia, *Feb.,* 42
Birth. See also *Infants; Newborn.*
  asphyxia, *May,* 369–73
  circulation changes at, *May,* 364–8
Bisodium ethylene diamine tetraacetic acid (Sodium Versenate) in cardiac arrhythmias, *May,* 359
Bladder. See also *Urinary tract.*
  exstrophy, surgical advances in, *Feb.,* 40–41
Blood. See also *Anemia.*
  circulation, changes at birth, *May,* 364–8
    in fetus, *May,* 364–8
    maintenance in shock, *May,* 470–73
  cultures in bacterial endocarditis, *May,* 486
  loss. See *Hemorrhage.*
  pressure, after operation, *May,* 461
    determinations, *May,* 432–4
    effect of digitalis on, *May,* 234–5
    high, amenable to surgical treatment, *May,* 458
      diagnostic aids, *May,* 436–7
      diagnostic workup, *May,* 451–2
      essential, *May,* 449
      etiology, *May,* 434–49
      operations for, *May,* 461
      surgical conditions, *May,* 458–62
      systemic, *May,* **431–63**
      treatment, *May,* 449–62
    medians, *May,* 431
    relation to age, *May,* 432, 433
    restoration in shock, *May,* 475–7
  shunt, in congenital heart disease, direction of, *Feb.,* 109
      lesions with, *Feb.,* 110–17
      presence of, *Feb.,* 108–109
    into pulmonary trunk, *Feb.,* 66
    into right atrium, *Feb.,* 60–63
    left-to-right, in congenital heart disease, lesions with, *Feb.,* 117–24
      with right ventricular hypertrophy, *Feb.,* 121–3
    right-to-left, at atrial level, with pulmonic stenosis and intact ventricular septum, *May,* 274–5
      in congenital heart disease, lesions with, *Feb.,* 124–34
  transfusion, exchange, in erythroblastosis fetalis, *May,* 375
    in anemia, *Feb.,* 5, 6
    in shock, *Feb.,* 5, 6; *May,* 473–4
    postoperative, in cyanotic congenital heart disease, *May,* 284–5
Blood vessels. See also *Aorta; Arteries; Veins,* etc.

Blood vessels (*continued*)
great, congenital anomalies, *Feb.*, 55–105
normal, and subpulmonary stenosis, with tricuspid atresia, *Feb.*, 98
with tricuspid atresia, *Feb.*, 86
origin from right ventricle with pulmonary stenosis, *Feb.*, 92
origin from right ventricle without pulmonary stenosis, *Feb.*, 74, 84
transposition, *Feb.*, 128, 132–3, 134
and mitral atresia, with common ventricle, *Feb.*, 86
and patent atrioventricular valves, with common ventricle, *Feb.*, 86
and subpulmonary stenosis, with tricuspid atresia, *Feb.*, 98
and tricuspid atresia, with common ventricle, *Feb.*, 86
complete, *May*, 279–81
corrected, *Feb.*, 72
and large ventricular septal defect, *Feb.*, 72
and ventricular septal defect with pulmonary vascular disease, *Feb.*, 80
complicating ventricular septal defect, *Feb.*, 120–21
ventricular septal and mitral insufficiency, *Feb.*, 72
with closed ductus arteriosus and intact ventricular septum, *Feb.*, 90
with patent ductus arteriosus and interatrial communication, *Feb.*, 88
with pulmonic stenosis, *Feb.*, 131–2
with subpulmonary stenosis and ventricular septal defect, *Feb.*, 90
with subpulmonary stenosis, intact ventricular septum and closed ductus arteriosus, *Feb.*, 90
with tricuspid atresia and increased pulmonary blood flow, *May*, 282
with ventricular septal defect and interatrial communication, *Feb.*, 88
pulmonary, disease, occlusive, atrial septal defect with, *Feb.*, 80
ventricular septal defect with, *Feb.*, 80
with corrected transposition of great vessels and ventricular septal defect, *Feb.*, 80
with patent ductus arteriosus, *Feb.*, 82
in congenital heart disease, *Feb.*, 128
Bones, roentgen findings in cystic fibrosis of pancreas, *Feb.*, 166–7
Bowel. See *Intestines.*
Bradycardia, sinus, *May*, 318–19
Brain diseases, fluid therapy in, *Feb.*, 12–13
Breathing. See also *Respiration.*
exercises in cystic fibrosis of pancreas, *Feb.*, 145
Bronchodilators in cystic fibrosis of pancreas, *Feb.*, 145
Bundle branch block, death in myocarditis due to, *May*, 419, 420
Burns, fluid therapy in, *Feb.*, 12

CALCIUM in diarrhea, *Feb.*, 7
Calcium chloride
in cardiac arrest, *May*, 355
in hypertension, *May*, 452
Calcium gluconate
during exchange transfusion, *May*, 376
in postacidotic tetany, *Feb.*, 5
Cardiac. See *Heart.*
Cardiovascular disorders of newborn, *May*, **363–400**
Cardiovascular system. See also *Arteries; Blood vessels; Heart; Veins;* etc.
action of digitalis on, *May*, 232–5
consequences of birth asphyxia, *May*, 369–73
lesions, hypertension due to, *May*, 445–6
problems incident to erythroblastosis, *May*, 374–7
Cardiovascular therapy, symposium on, *May*, **211–495**
Cardioversion in atrial fibrillation, *May*, 333
Carditis, rheumatic. See *Rheumatic carditis.*
Catheters, urinary, dangers of, *Feb.*, 43
Cedilanid. See *Deslanoside.*
Chelating agents in cardiac arrhythmias, *May*, 359
Chemotherapy. See also specific agents.
adjunct, for nephroblastoma, *Feb.*, 39–40
Children. See also *Infants; Newborn.*
heart failure in, *May*, 255–6
Chloramphenicol in staphylococcal endocarditis, *May*, 490, 493
Chloride in respiratory distress syndrome, *May*, 381
Chlorothiazide (Diuril)
in heart failure, *May*, 265
in hypertension, *May*, 455
Chlorpromazine (Thorazine) in cardiac arrhythmias, *May*, 358

Chromosomes
abnormalities, clinical effects of, *Feb.*, 175–81
of number, *Feb.*, 172
psychologic aspects, *Feb.*, 181
current knowledge, *Feb.*, **171–82**
mosaicism, *Feb.*, 172, 173, 180
non-disjunction, *Feb.*, 172
translocation, *Feb.*, 174, 180
trisomy, *Feb.*, 172
D, *Feb.*, 178–9
E, *Feb.*, 178–9
syndromes, *Feb.*, 176–7
XXX, *Feb.*, 177
XXY, *Feb.*, 177–8
XYY, *Feb.*, 178
13–15, *Feb.*, 178–9
17–18, *Feb.*, 178–9
Circulation. See under *Blood.*
Cleft palate. See *Palate, cleft.*
Climate in cystic fibrosis of pancreas, *Feb.*, 145
Clinical advances. See *Advances, clinical.*
Coarctation
of aorta. See *Aorta, coarctation.*
of pulmonary arteries, *Feb.*, 115
Cold, common, immunity to, *Feb.*, 21–2
Colon. See also *Gastrointestinal tract; Intestines;* etc.
roentgen findings in cystic fibrosis of pancreas, *Feb.*, 162–6
Common cold, immunity to, *Feb.*, 21–2
Conduction. See under *Heart.*
Cor pulmonale, acute, with meconium aspiration pneumonia, *May*, 397–8
Cor triatriatum, treatment, *May*, 307
Cor triloculare, *Feb.*, 114–15
Cor triloculare biatriatum, *Feb.*, 86
Cor triloculare biventriculare, *May*, 278–9
Coronary arteries. See *Arteries, coronary.*
Coronary circulation, effect of digitalis on, *May*, 235
Coronary sinus
anomalous communication of coronary artery with, *Feb.*, 62
rhythm, *May*, 320
Corticosteroids in rheumatic fever, *May*, 218, 219, 221
Cortisone
hypertension due to, *May*, 446
in rheumatic fever, *May*, 221
Cow's milk, allergy to, *Feb.*, 22–7
C-reactive protein in rheumatic fever, *May*, 221
Crista supraventricularis, ventricular septal defect inferior to, *Feb.*, 74
Cryptorchidism, surgical advances in, *Feb.*, 41
Cushing's syndrome
hypertension due to, *May*, 447
surgical treatment, *May*, 459
Cyanosis, *Feb.*, 56
congenital anomalies of heart and great vessels with, *Feb.*, 78–101
congenital anomalies of heart and great vessels without, *Feb.*, 58–77
Cystic fibrosis. See under *Pancreas.*
Cystic teratoma of ovary, *Feb.*, 52

DEATH in myocarditis, causes, *May*, 410–23
Defect, septal. See *Atrial septal defect; Ventricular septum, defect.*
Defibrillator in cardiac arrest, *May*, 355
Deformities. See *Abnormalities.*
Dehydration, *Feb.*, 4
hypertonic, fluid therapy in, *Feb.*, 9
hypotonic, fluid therapy in, *Feb.*, 9
in newborn, *Feb.*, 10
in premature infants, *Feb.*, 10
moderate, fluids for, *Feb.*, 4, 5
Demerol. See *Meperidine.*
Deslanoside (Cedilanid), *May*, 238
dosage, *May*, 241
in cardiac arrhythmias, *May*, 359
Diabetic acidosis, fluid therapy in, *Feb.*, 10
Dialysis, peritoneal, effects, *May*, 458
Diamox. See *Acetazolamide.*
Diaphragm, hernia, surgical advances in, *Feb.*, 37
Diarrhea
acidosis in, *Feb.*, 6–7
fluid therapy, *Feb.*, 4–8
shock in, *Feb.*, 6
Diet. See also *Vitamins.*
in cystic fibrosis of pancreas, *Feb.*, 145
Digestion, disturbances of, in cystic fibrosis of pancreas, treatment, *Feb.*, 145–6
Digilanid, dosage, *May*, 241
Digitalis, *May*, 238
action, mechanism of, *May*, 231–2
chemistry, *May*, 229–30
dosage, *May*, 258
electrocardiographic effects, *May*, 234
excretion, *May*, 241–2
fate, *May*, 241–2
for heart failure in rheumatic fever, *May*, 222–3
glycosides, structural differences, *May*, 230
in atrial fibrillation, *May*, 333
in atrial flutter, *May*, 332
in cardiac arrhythmias, *May*, 356–7, 359

Digitalis (*continued*)
in cyanotic congenital heart disease, *May*, 286–7
in heart failure, *May*, 256–60
maintenance therapy, *May*, 260–61
in myocarditis, *May*, 412
in paroxysmal tachycardia, *May*, 357
in respiratory distress syndrome, *May*, 381
in supraventricular tachycardia, *May*, 328, 329, 357
pharmacologic effects, *May*, 232–6
pharmacology, *May*, **229–45**
preparations, *May*, 238
choice of, *May*, 264
doses, *May*, 241
for pediatric use, *May*, 257
source, *May*, 229–30
structure-activity relationship, *May*, 230–31
therapeutic indications for, *May*, 242
toxicity, *May*, 236–8, 261–4
antagonism of, *May*, 237–8
treatment, *May*, 263
Digitoxin, *May*, 238
dosage, *May*, 241
in cardiac arrhythmias, *May*, 359
in heart failure, *May*, 257, 258, 259, 260
Digoxin (Lanoxin), *May*, 238
dosage, *May*, 241
for heart failure in rheumatic fever, *May*, 222
in cardiac arrhythmias, *May*, 359
in cyanotic congenital heart disease, *May*, 287
in erythroblastosis fetalis, *May*, 376
in heart failure, *May*, 257, 258, 259, 260
in respiratory distress syndrome, *May*, 386
Disease. See also *Death*.
glycogen storage, of heart, *Feb.*, 113
Hirschsprung's, surgical advances in, *Feb.*, 38–9
Diuretic effects of digitalis, *May*, 235–6
Diuretics
in cardiac arrhythmias, *May*, 358, 359
in heart failure, *May*, 264, 265
Diuril. See *Chlorothiazide*.
Down's syndrome, *Feb.*, 179–80
Drainage
postural, in cystic fibrosis of pancreas, *Feb.*, 145
total anomalous, of pulmonary veins, *Feb.*, 129–30
Drugs, therapy. See also *Chemotherapy;* and under names of drugs.
in cardiac arrhythmias, *May*, 356–61
in hypertension, dosage and toxicity, *May*, 455
Ductus arteriosus
closed, and intact ventricular septum, transposition of great vessels with, *Feb.*, 90
subpulmonary stenosis and intact ventricular septum, with transposition of great vessels, *Feb.*, 90
patent, *Feb.*, 117–18, 135; *May*, 305–306
and interatrial communication, with transposition of great vessels, *Feb.*, 88
and ventricular septal defect, interruption of aortic arch proximal to, *Feb.*, 82
classic, *Feb.*, 66
complicating ventricular septal defect, *Feb.*, 120
wide, *Feb.*, 74
with occlusive pulmonary vascular disease, *Feb.*, 82
with atrial septal defect, *Feb.*, 122
Dysautonomia, familial, hypertension due to, *May*, 445
Dysgenesis, gonadal, *Feb.*, 175

EBSTEIN'S anomaly, *Feb.*, 132; *May*, 279
Ebstein's malformation, *Feb.*, 98
treatment, *May*, 307
Eczema, steroid therapy in, *Feb.*, 20, 21
Edema in heart failure, *May*, 251
Eisenmenger's syndrome, *Feb.*, 133
Electrocardiogram. See *Heart, electrocardiography*.
Emboli, death in myocarditis due to, *May*, 414–15
Emphysema in cystic fibrosis of pancreas, *Feb.*, 150
Endocarditis
bacterial, *May*, **483–95**
diagnosis, *May*, 485–6
incidence, *May*, 484
prophylaxis, *May*, 491–2
treatment, *May*, 486–91
enterococcal, *May*, 490
fungal, *May*, 491
staphylococcal, *May*, 489–90
Streptococcus viridans, *May*, 487–9
Endocardium
fibroelastosis, *Feb.*, 113; *May*, 402 ff.
causes of death in, *May*, 411
of left ventricle, treatment, *May*, 308
surgical treatment, *May*, 428
ventricular, left, *Feb.*, 113
Endocrine disorders, hypertension due to, *May*, 446–8
Endocrine system, roentgen findings in cystic fibrosis of pancreas, *Feb.*, 167

Endomyocardial disease, primary, *May*, **401–30**
Enterococci, endocarditis, *May*, 490
Enzymes, pancreatic, in cystic fibrosis, *Feb.*, 145
Ephedrine sulfate
  in cardiac arrhythmias, *May*, 360
  in heart block, *May*, 347
Epinephrine
  for edema in myocarditis, *May*, 413
  in cardiac arrest, *May*, 355
  in left ventricular failure due to shunts, *May*, 266
  in Stokes-Adams syndrome, *May*, 348
Erythroblastosis. See *Hemolytic disease of newborn.*
Erythromycin
  in staphylococcal endocarditis, *May*, 490, 493
  in streptococcal infections, *May*, 227
  prophylaxis against bacterial endocarditis, *May*, 492
Esophagus
  atresia, surgical advances in, *Feb.*, 36
  replacement with other visceral tubes, *Feb.*, 41
Examination, physical. See *Physical examination.*
Exercises, breathing, in cystic fibrosis of pancreas, *Feb.*, 145
Exhaustion, heat, fluid therapy in, *Feb.*, 12
Expectorants in cystic fibrosis of pancreas, *Feb.*, 145
Exstrophy of bladder, surgical advances in, *Feb.*, 40–41
Extrasystoles, *May*, 323–4
  due to digitalis toxicity, *May*, 262
  ventricular, *May*, 334–8
    due to digitalis, *May*, 236
    electrocardiogram, *May*, 336–7
    treatment, *May*, 337–8

FALLOT, tetralogy of. See *Tetralogy of Fallot.*
Familial dysautonomia, hypertension due to, *May*, 445
Feces. See also *Meconium.*
  in cystic fibrosis of pancreas, *Feb.*, 142
Feeding. See also *Diet.*
  difficulty in acyanotic congenital heart disease, *May*, 297
Feminization, testicular, *Feb.*, 49
Fetus. See also *Infants; Newborn.*
  circulation, *May*, 364–8
Fever, fluids for, *Feb.*, 5
Fibrillation
  atrial, *May*, 332–4
  flutter, *May*, 332
  ventricular, *May*, 340–41
Fibroelastosis, endocardial. See *Endocardium, fibroelastosis.*
Fibrosis, cystic. See *Pancreas, cystic fibrosis.*
Fistula
  arteriovenous, pulmonary, *Feb.*, 100
  of sinus of Valsalva, *Feb.*, 119
Fluids
  restriction in heart failure, *May*, 265
  therapy, *Feb.*, **3–15**
    for moderate dehydration, *Feb.*, 4, 5
    in adrenocortical insufficiency, *Feb.*, 11
    in anuria, *Feb.*, 12
    in aspirin poisoning, *Feb.*, 11
    in burns, *Feb.*, 12
    in diabetic acidosis, *Feb.*, 10
    in diarrhea, *Feb.*, 4–8
      basic fluids, *Feb.*, 5–6
      first day, *Feb.*, 7–8
      oral fluids, *Feb.*, 8
      rate of administration, *Feb.*, 5
    in heat exhaustion, *Feb.*, 12
    in hypertonic dehydration, *Feb.*, 9
    in hypotonic dehydration, *Feb.*, 9
    in newborn, *Feb.*, 10
    in premature infants, *Feb.*, 10
    in shock, *May*, 473–4
      from cystic fibrosis, *Feb.*, 11–12
    in surgical patients, *Feb.*, 9–10
    in vomiting, *Feb.*, 11
    in water intoxication, *Feb.*, 9
    maintenance, *Feb.*, 9–10
    parenteral administration, indications for, *Feb.*, 13
      mode of, *Feb.*, 13–14
    postoperative, in cyanotic congenital heart disease, *May*, 287–8
Flutter
  atrial, *May*, 331–2
  fibrillation, *May*, 332
Foramen ovale, patent, and intact ventricular septum, with pulmonary stenosis, *Feb.*, 96
Foreign bodies in vagina, *Feb.*, 50–51
Fossa ovalis
  atrial septal defect at, *Feb.*, 60
  atrial septal defect superior to, *Feb.*, 79
Fungi, endocarditis due to, *May*, 491

GALLBLADDER. See also *Biliary tract.*
  roentgen findings in cystic fibrosis of pancreas, *Feb.*, 166

Ganglion blockers in hypertension, *May*, 454
Gastric. See *Stomach.*
Gastrointestinal tract. See also *Colon; Intestines; Stomach;* etc.
digitalis toxicity and, *May*, 236
effects of digitalis on, *May*, 235
in cystic fibrosis of pancreas, *Feb.*, 141–3
roentgen findings, *Feb.*, 158–66
treatment, *Feb.*, 145–6
Genitals. See also *Gonads; Urinary tract.*
female, external, trauma to, *Feb.*, 54
Gitalin, *May*, 238
dosage, *May*, 241
in cardiac arrhythmias, *May*, 359
Glands. See specific glands.
Glenn's shunt, *May*, 282–3
for Ebstein's anomaly, *May*, 279
Glomerulonephritis. See *Nephritis, glomerular.*
Glucose in dehydration, *Feb.*, 5
Glycogen storage disease of heart, *Feb.*, 113
Glycol, propylene
for airway obstruction in pneumonia complicating acyanotic congenital heart disease, *May*, 312
in cystic fibrosis of pancreas, *Feb.*, 144
Glycosides. See also *Digitalis;* etc.
action, *May*, 239, 240
administration, route of, *May*, 239
differences between, *May*, 238–41
dosage, *May*, 239–40, 241
lactone ring, *May*, 231
of digitalis, structural differences, *May*, 230
steroid nucleus, *May*, 231
sugar linkage, *May*, 230
Gonads. See also *Genitals; Hermaphroditism; Ovary; Testes.*
agenesis, hypertension due to, *May*, 448
dysgenesis, *Feb.*, **175**
Growth failure in acyanotic heart disease, *May*, 297
Gynecologic surgery, *Feb.*, **45–54**

HEART. See also *Arrhythmias; Arteries, coronary; Blood, circulation; Cardiovascular system;* etc.
arrest, *May*, 353–6
arrhythmias. See *Arrhythmias.*
atresia, of left side of, *Feb.*, 129–30
of right side of, *Feb.*, 127
beat, interference, *May*, 342
premature. See *Extrasystoles.*

Heart (*continued*)
block, *May*, 341–51
complete, *May*, 345–8
electrocardiogram, *May*, 347
treatment, *May*, 347–8
death in myocarditis due to, *May*, 417
incomplete, *May*, 344–5
postoperative, in cyanotic congenital heart disease, *May*, 289–90
right bundle branch block, *May*, 348–50
sinoatrial, *May*, 341–2
conduction, accelerated, *May*, 351–2
with short P-R interval, *May*, 352
disturbances, death in myocarditis due to, *May*, 416–21
conduction system, *May*, 315–16
conduction time, effect of digitalis on, *May*, 233
congenital anomalies, *Feb.*, 55–105
contractility, effect of digitalis on, *May*, 232–3
cor pulmonale, acute, *May*, 397–8
cor triloculare, *Feb.*, 114–15
cor triloculare biatriatum, *Feb.*, 86
digitalis toxicity and, *May*, 236–7
disease, congenital, acyanotic, *May*, **295–314**
diagnostic aids, *May*, 299–300
history in, *May*, 296–8
physical examination in, *May*, 298–9
treatment, *May*, 306–14
clinical considerations, *Feb.*, 107–10
cyanotic, *May*, **269–94**
follow-up examinations, *May*, 293
long-term care, *May*, 292–3
postoperative care, *May*, 283–92
prevention of postoperative complications, *May*, 283–92
diagnosis, *Feb.*, 109, 110
differential diagnosis, *Feb.*, **107–38**
fool's guide to diagnosis, *Feb.*, 134–5
lesions with decreased pulmonary vascularity, *Feb.*, 130–32
lesions with increased pulmonary vascularity, *Feb.*, 132–4
lesions with left-to-right shunt, *Feb.*, 117–24
lesions with no shunt, *Feb.*, 110–17
lesions with right-to-left shunt, *Feb.*, 124–34
pulmonary vasculature in, *Feb.*, 128
fluid therapy in, *Feb.*, 12–13

Heart (*continued*)
disease, glycogen storage, *Feb.*, 113
rheumatic. See *Rheumatic heart disease.*
dysfunction, in acyanotic congenital heart disease, *May*, 300–306
Eisenmenger's syndrome, *Feb.*, 133
electrocardiography, effect of digitalis on, *May*, 234
in accelerated conduction with short P-R interval, *May*, 352
in acyanotic congenital heart disease, *May*, 299, 300
in atrioventricular block, *May*, 344
in bundle branch block, *May*, 349
in cardiac arrest, *May*, 354
in complete heart block, *May*, 347
in coronary sinus rhythm, *May*, 320
in extrasystoles, *May*, 323
in heart failure, *May*, 254, 255
in nodal rhythm, *May*, 344
in paroxysmal atrial tachycardia with block, *May*, 331
in sinoatrial block, *May*, 342
in sinus arrhythmia, *May*, 320
in sinus bradycardia, *May*, 319
in sinus tachycardia, *May*, 317
in supraventricular tachycardia, *May*, 327
in ventricular fibrillation, *May*, 341
in ventricular premature beats, *May*, 336–7
in ventricular tachycardia, *May*, 338–9
in wandering pacemaker, *May*, 322
in Wenckebach's phenomenon, *May*, 351
in Wolff-Parkinson-White syndrome, *May*, 352
enlargement, in acyanotic congenital heart disease, *May*, 299
failure. See *Heart, arrest; Heart, insufficiency.*
insufficiency, *May*, **247–67**
congestive, *Feb.*, 128
in bacterial endocarditis, *May*, 485, 486
with left-to-right shunt, *May*, 312
death in myocarditis due to, *May*, 411–13
in childhood, *May*, 255–6
in infancy, *May*, 247–55
causes, *May*, 247–8
differential diagnosis, *May*, 255
recognition, *May*, 249–55
in rheumatic fever, *May*, 222–3
treatment, *May*, 256–66
left-to-right shunts, *May*, 303–306
malformations, left-sided, *May*, 300–303
Heart (*continued*)
malformations, right-sided, *May*, 300
massage, for birth asphyxia, *May*, 370
in cardiac arrest, *May*, 335
murmurs and sounds, in acyanotic congenital heart disease, *May*, 298–9
in heart failure, *May*, 249, 250
myxoma, *Feb.*, 115
output, effect of digitalis on, *May*, 233
pacemaker, wandering, *May*, 321–2
postoperative maintenance of, in cyanotic congenital heart disease, *May*, 286
pseudotruncus arteriosus, *Feb.*, 92, 130
rate, effect of digitalis on, *May*, 233–4, 237
in heart failure, *May*, 249, 250
sinus bradycardia, *May*, 318–19
refractory period, effect of digitalis on, *May*, 233
size, in congenital heart disease, *Feb.*, 128, 129
in heart failure, *May*, 249
sounds. See *Heart, murmurs and sounds.*
Taussig-Bing syndrome, *Feb.*, 84, 133
Heat exhaustion, fluid therapy in, *Feb.*, 12
Heiner's syndrome, *Feb.*, 27–30
Hematocolpos, *Feb.*, 47
Hemolytic disease of newborn, cardiovascular problems incident to, *May*, 374–7
Hemopericardium, postoperative, *May*, 286
Hemorrhage
acute, in newborn, *May*, 374
postoperative, in cyanotic congenital heart disease, *May*, 290
Hermaphroditism
male, *Feb.*, 48–9
true, *Feb.*, 48
Hernia
diaphragmatic, surgical advances in, *Feb.*, 37
inguinal, *Feb.*, 42
Hirschsprung's disease, surgical advances in, *Feb.*, 38–9
History
in acyanotic congenital heart disease, *May*, 296–8
in cardiac failure in infancy, *May*, 249
Hormones, adrenocortical, in shock, *May*, 477–9
Humidifiers in cystic fibrosis of pancreas, *Feb.*, 144
Humidity, postoperative, in cyanotic congenital heart disease, *May*, 286
Hyaline membrane disease. See *Respiratory distress syndrome.*
Hydralazine hydrochloride (Apresoline) in hypertension, *May*, 453 ff.

Hydrochlorothiazide in heart failure, *May*, 265
Hydrocortisone, hypertension due to, *May*, 446
Hydrometrocolpos, *Feb.*, 47
Hydrops fetalis, *May*, 374, 375
Hydroxyzine hydrochloride (Atarax)
in cardiac arrhythmias, *May*, 358
in supraventricular tachycardia, *May*, 329
Hymen, imperforate, *Feb.*, 47
Hyperelectrolytemia, *Feb.*, 4
Hyperplasia, adrenal, congenital, *Feb.*, 46–7
Hypertension. See *Blood pressure, high.*
pulmonary. See *Pulmonary hypertension.*
Hyperthyroidism, hypertension due to, *May*, 448
Hypertonic dehydration, fluid therapy in, *Feb.*, 9
Hypertrophy, ventricular. See *Ventricular hypertrophy.*
Hypodermoclysis, *Feb.*, 13
Hyponatremia, *Feb.*, 9
Hypothermia in shock, *May*, 474–5
Hypotonic dehydration, fluid therapy in, *Feb.*, 9

IATROGENIC causes of death in myocarditis, *May*, 423
Ileus. See *Intestines, obstruction; Meconium.*
meconium. See *Meconium ileus.*
Immunity to common cold, *Feb.*, 21–2
Infants. See also *Children; Newborn.*
heart failure in, *May*, 247–55
Infarction, myocardial, death in myocarditis due to, *May*, 415–16
Infection. See also *Bacteremia; Immunity.*
accompanying medical shock, *May*, 466–9
in heart failure, treatment, *May*, 266
Inguinal hernia, *Feb.*, 42
Insulin
in diabetic acidosis, *Feb.*, 10
in respiratory distress syndrome, *May*, 388
Interatrial communication
and patent ductus arteriosus, with transposition of great vessels, *Feb.*, 88
and ventricular septal defect with transposition of great vessels, *Feb.*, 88
Interference beat; interference dissociation, *May*, 342
Intersex problem, *Feb.*, 47–50
corrective procedures, *Feb.*, 49–50
Intestines. See also *Colon; Feces; Gastrointestinal tract;* etc.
obstruction, in cystic fibrosis of pancreas, *Feb.*, 141
surgical advances in, *Feb.*, 37–8
small, roentgen findings in cystic fibrosis of pancreas, *Feb.*, 162
Intussusception, surgical advances in, *Feb.*, 39
Irritability in acyanotic congenital heart disease, *May*, 297
Isoprenaline hydrochloride (Saventrine) in heart block, *May*, 347
Isoproterenol (Isuprel)
in cardiac arrest, *May*, 356
in cardiac arrhythmias, *May*, 360, 361
in conduction disturbances, *May*, 421
in heart block, *May*, 347
Isuprel. See *Isoproterenol.*

KIDNEYS. See also *Urinary tract.*
diseases, fluid therapy in, *Feb.*, 12–13
hypertension due to, *May*, 435–44
surgical treatment, *May*, 459 ff.
failure. See *Kidneys, insufficiency.*
function test, split, *May*, 443
hypoplastic, hypertension due to, *May*, 444
insufficiency, acute, hypertension due to, *May*, 444
tumors, Wilms's, *Feb.*, 39
hypertension due to, *May*, 444
vascular disease, hypertension due to, *May*, 441 ff.
Klinefelter's syndrome, *Feb.*, 176, 177–8

LABORATORY studies in heart failure, *May*, 252–5
Lactate in respiratory distress syndrome, *May*, 381
Lactone ring of glycosides, *May*, 231
Lanatoside C in heart failure, *May*, 257, 258, 259, 260
Lanoxin. See *Digoxin.*
Lead poisoning, hypertension due to, *May*, 449
Levarterenol bitartrate (Levophed). See also *Norepinephrine.*
in cardiac arrest, *May*, 355
in cardiac arrhythmias, *May*, 358
Levophed. See *Levarterenol bitartrate; Norepinephrine.*
Lidocaine (Xylocaine)
in cardiac arrhythmias, *May*, 360
in supraventricular tachycardia, *May*, 328
in ventricular extrasystoles, *May*, 337

Liver. See also *Biliary tract.*
diseases, fluid therapy in, *Feb.*, 12–13
enlargement, in heart failure, *May*, 251
Lungs. See also *Respiration; Respiratory tract.*
diseases, fluid therapy in, *Feb.*, 12–13
infections, effect on acyanotic congenital heart disease, *May*, 310–11
insufflation, in respiratory distress syndrome, *May*, 390

MAGNESIUM sulfate
in hypertension, *May*, 452, 455
in supraventricular tachycardia, *May*, 328
Malformations. See *Abnormalities;* and under organs and regions.
Massage, cardiac. See *Heart, massage.*
Mecholyl. See *Methacholine.*
Meconium aspiration pneumonia with acute cor pulmonale, *May*, 397–8
Meconium ileus
in cystic fibrosis of pancreas, *Feb.*, 141
roentgen findings, *Feb.*, 158–62
treatment, *Feb.*, 145
surgical advances in, *Feb.*, 37
Medical research today, *Feb.*, 17–18
Medical shock. See *Shock, medical.*
Megacolon, aganglionic, *Feb.*, 38
Membrane, mitral, supravalvular, treatment, *May*, 308
Meperidine (Demerol)
in cardiac arrhythmias, *May*, 358
in supraventricular tachycardia, *May*, 328
in ventricular tachycardia, *May*, 340
Mephentermine (Wyamine)
in cardiac arrhythmias, *May*, 358
in ventricular tachycardia, *May*, 340
Meralluride (Mercuhydrin)
in cardiac arrhythmias, *May*, 358
in heart failure, *May*, 265
Mercaptomerin (Thiomerin) in cardiac arrhythmias, *May*, 358
Mercuhydrin. See *Meralluride.*
Mercury poisoning, hypertension due to, *May*, 449
Metaramine (Aramine)
in cardiac arrhythmias, *May*, 358
in supraventricular tachycardia, *May*, 329
in ventricular tachycardia, *May*, 340
Methacholine (Mecholyl) in supraventricular tachycardia, *May*, 329
Milk, cow's, allergy to, *Feb.*, 22–7
Mist tents in cystic fibrosis of pancreas, *Feb.*, 144–5
Mitral membrane, supravalvular, treatment, *May*, 308
Mitral valve
atresia, *Feb.*, 129
and subpulmonary stenosis with common ventricle, *Feb.*, 94
with common ventricle and transposed great vessels, *Feb.*, 86
cleft, atrial septal defect associated with, *Feb.*, 60
lesions, *Feb.*, 114–15
stenosis, congenital, *Feb.*, 114
treatment, *May*, 308
Mongolism. See *Down's syndrome.*
Morphine sulfate
in cardiac arrhythmias, *May*, 358
in heart failure, *May*, 265
in supraventricular tachycardia, *May*, 328
in ventricular tachycardia, *May*, 340
postoperative, in cyanotic congenital heart disease, *May*, 288
Mosaicism, chromosomal, *Feb.*, 172, 173, 180
Mucus, impaired drainage, in cystic fibrosis of pancreas, *Feb.*, 150
Murmurs, cardiac. See *Heart, murmurs and sounds.*
Myocarditis
classification, *May*, 406–10
clinical course, *May*, 406–10
death in, causes, *May*, 410–23
prognosis, *May*, 423–7
Myocarditis-endocardial fibroelastosis syndrome, *May*, **401–30**
Myocardium
infarction, death in myocarditis due to, *May*, 415–16
ventricular, left, *Feb.*, 113
Myxoma, cardiac, *Feb.*, 115

NECK roentgenograms, exposure values for, *Feb.*, 187
Neonatal. See *Newborn.*
Neostigmine (Prostigmin)
in cardiac arrhythmias, *May*, 360
in supraventricular tachycardia, *May*, 328
Neo-Synephrine. See *Phenylephrine.*
Nephritis. See also *Kidneys, diseases; Kidneys, insufficiency; Pyelonephritis.*
glomerular, acute, hypertension due to, *May*, 435 ff.
chronic, hypertension due to, *May*, 439
hypertension due to, treatment, *May*, 452–7
hypertension due to, *May*, 439
treatment, *May*, 452–7
Nephroblastoma, chemotherapy for, *Feb.*, 39–40

Nervous system. See also *Brain.*
central, disorders of, hypertension due to, *May,* 445–6
digitalis toxicity and, *May,* 237
Neuroblastoma, surgical advances in, *Feb.,* 40
Newborn
cardiovascular disorders, *May,* **363–400**
dehydration in, *Feb.,* 10
fluid therapy in, *Feb.,* 10
heart failure in, *Feb.,* 128
hemolytic disease of, cardiovascular problems incident to, *May,* 374–7
hemorrhage in, *May,* 374
hypovolemic shock in, *May,* 374
surgery, advances in, *Feb.,* 34–8
Nodal rhythm, *May,* 334
Norepinephrine (Levophed). See also *Levarterenol.*
in supraventricular tachycardia, *May,* 329
in ventricular tachycardia, *May,* 340
Nuclear sex, *Feb.,* 175–6
Nucleus, steroid, of glycosides, *May,* 231

OBSTRUCTION, intestinal. See *Intestines, obstruction.*
Omphalocele, surgical advances in, *Feb.,* 34–5
Operation. See *Surgery.*
Ostium primum atrial septal defect, *Feb.,* 60, 122
treatment, *May,* 313
Ostium secundum atrial septal defect, *May,* 303–304
treatment, *May,* 312, 313
Ouabain, *May,* 238
Ovary. See also *Gonads.*
agenesis, *Feb.,* 48
tumors, *Feb.,* 52–4
symptoms, *Feb.,* 53–4
Oxygen. See also *Respiration.*
saturation, postoperative, in cyanotic congenital heart disease, *May,* 290–91
therapy, in heart failure, *May,* 265
in pneumonia complicating acyanotic congenital heart disease, *May,* 311
in respiratory distress syndrome, *May,* 387, 388
postoperative, in cyanotic congenital heart disease, *May,* 286

PACEMAKER, wandering, *May,* 321–2
Palate
cleft, classification, *Feb.,* 185
patient with, *Feb.,* 185–6
Palate (*continued*)
cleft, roentgen evaluation, *Feb.,* **183–200**
roentgen examination, role of, *Feb.,* 186–97
treatment, surgical, *Feb.,* 186
soft, speech function, *Feb.,* 184
Pancreas
achylia, in cystic fibrosis, *Feb.,* 143
cystic fibrosis, *Feb.,* 139–69
abnormal secretions, *Feb.,* 150
aerodynamic considerations, *Feb.,* 146–7
impaired mucus drainage, *Feb.,* 150
mechanics of respiration in, *Feb.,* 147, 150
shock from, fluid therapy in, *Feb.,* 11–12
enzymes, in cystic fibrosis, *Feb.,* 145
Parenteral fluids. See *Fluids, therapy, parenteral.*
Pelvis. See also *Genitals.*
tumors, *Feb.,* 51–2
Penicillin
for prevention of recurrences of rheumatic fever, *May,* 223
in bacterial endocarditis, *May,* 487, 491
in enterococcal endocarditis, *May,* 490
in rheumatic fever, *May,* 217–18
in staphylococcal endocarditis, *May,* 490, 493
in streptococcal endocarditis, *May,* 488, 493
in streptococcal infections, *May,* 227
prophylaxis against bacterial endocarditis, *May,* 492
Pentolinium (Ansolysen) in hypertension, *May,* 454, 455
Pericardium, hemorrhage, postoperative, *May,* 286
Peritoneal dialysis, effects, *May,* 458
Pharmacology. See also *Drugs.*
of digitalis, *May,* **229–45**
Phenergan. See *Promethazine hydrochloride.*
Phenobarbital in cardiac arrythmias, *May,* 358
Phenomenon, Wenckebach's, *May,* 350–51
Phenylephrine hydrochloride (Neo-Synephrine)
in cardiac arrhythmias, *May,* 358
in supraventricular tachycardia, *May,* 329
in ventricular tachycardia, *May,* 340
Pheochromocytoma
hypertension due to, *May,* 447, 448
surgical treatment, results, *May,* 459
Phosphate in diabetic acidosis, *Feb.,* 10

Physical activity. See *Activity.*
Physical examination
in acyanotic congenital heart disease, *May,* 298–9
in cardiac failure in infancy, *May,* 249–52
in shock, *May,* 469
Physicians, iatrogenic causes of death in myocarditis, *May,* 423
Physiology of speech, *Feb.,* 184–5
Plasma in shock in diarrhea, *Feb.,* 6
Pneumatosis cystoides intestinalis in cystic fibrosis of pancreas, *Feb.,* 165
Pneumonia
complicating acyanotic congenital heart disease, treatment, *May,* 309–12
meconium aspiration, with acute cor pulmonale, *May,* 397–8
Poisoning, hypertension due to, *May,* 449
treatment, *May,* 458
Postural drainage in cystic fibrosis of pancreas, *Feb.,* 145
Potassium
in cardiac arrhythmias, *May,* 360–61, 423
in diarrhea, *Feb.,* 7
in respiratory distress syndrome, *May,* 381
in ventricular extrasystoles, *May,* 338
in ventricular tachycardia, *May,* 340
Potassium acetate in digitalis toxicity, *May,* 237, 238
Potassium chloride
in dehydration, *Feb.,* 5
in digitalis toxicity, *May,* 237, 238, 263
in rheumatic fever, *May,* 222
Precocious puberty, *Feb.,* 54
Prednisone
in heart block, *May,* 348
in rheumatic fever, *May,* 221
Premature infants
dehydration in, *Feb.,* 10
fluid therapy in, *Feb.,* 10
Prematurity, idiopathic respiratory distress syndrome of, *May,* 377–97
Pressure, positive, intermittent, in cystic fibrosis of pancreas, *Feb.,* 145
Probenecid (Benemid)
in staphylococcal endocarditis, *May,* 490, 493
in streptococcal endocarditis, *May,* 488, 493
Procaine amide (Pronestyl)
in cardiac arrhythmias, *May,* 360
in supraventricular tachycardia, *May,* 328
in ventricular extrasystoles, *May,* 337
in ventricular tachycardia, *May,* 340
Promethazine hydrochloride (Phenergan)
in cardiac arrhythmias, *May,* 358
Pronestyl. See *Procaine amide.*
Prostigmin. See *Neostigmine.*
Protein, C-reactive, in rheumatic fever, *May,* 221
Pseudotruncus arteriosus, *Feb.,* 92, 130
Puberty, precocious, *Feb.,* 54
Pulmonary. See also *Lungs.*
arterial vessels. See *Arteries, pulmonary.*
arteriovenous fistula, *Feb.,* 100
blood vessels in congenital heart disease, *Feb.,* 128
hypertension, complicating ventricular septal defect, *Feb.,* 120
death in myocarditis due to, *May,* 414
primary, *Feb.,* 115; *May,* 307
secondary, *Feb.,* 133–4
to left-to-right shunt, *Feb.,* 124
with atrial septal defect, *Feb.,* 122
trunk, accessory coronary artery arising from, *Feb.,* 66
anomalous origin of left coronary artery from, *Feb.,* 66
valve, atresia, *Feb.,* 127, 130
with intact ventricular septum and hypoplastic right ventricle, *Feb.,* 96
with intact ventricular septum and normal-sized right ventricle, *Feb.,* 96
with ventricular septal defect, *May,* 276–7
stenosis, *Feb.,* 115–16, 130–32, 135
complicating ventricular septal defect, *Feb.,* 120
complications, *Feb.,* 131, 132
origin of great vessels from right ventricle without, *Feb.,* 74
peripheral, *Feb.,* 115
single ventricle with, *Feb.,* 128
treatment, *May,* 306–307
vs. pulmonary atresia, *Feb.,* 127
with atrial septal defect, *Feb.,* 122
with intact ventricular septum and dilatation of pulmonary trunk, *Feb.,* 76
with intact ventricular septum and patent foramen ovale, *Feb.,* 96
with intact ventricular septum and right-to-left shunt at atrial level, *May,* 274–5
veins. See *Veins, pulmonary.*
Pulse. See also *Arrhythmias; Blood, pressure; Heart, beat.*
peripheral, in acyanotic congenital heart disease, *May,* 299
rate, normal, *May,* 316, 317
Pyelonephritis, hypertension due to, *May,* 439 ff.

QUINIDINE
in atrial fibrillation, *May*, 333
in atrial flutter, *May*, 332
in cardiac arrhythmias, *May*, 357–60
in supraventricular tachycardia, *May*, 328
in ventricular extrasystoles, *May*, 337
in ventricular tachycardia, *May*, 340

RENAL. See *Kidneys.*
artery stenosis, hypertension due to, *May*, 441 ff.
Research, medical, *Feb.*, 17–18
Reserpine (Serpasil) in hypertension, *May*, 453, 454, 455
Respiration
in heart failure, *May*, 250, 251
maintenance in shock, *May*, 470
mechanics, in cystic fibrosis of pancreas, *Feb.*, 147, 150
obstruction, postoperative, in cyanotic congenital heart disease, *May*, 285–6
rapid, in acyanotic congenital heart disease, *May*, 296–7
Respirator in respiratory distress syndrome, *May*, 391
weaning from, *May*, 393
Respiratory distress syndrome of prematurity, idiopathic, *May*, 377–97
Respiratory tract. See also *Lungs.*
in cystic fibrosis of pancreas, *Feb.*, 141
roentgen findings, *Feb.*, 146–52
treatment, *Feb.*, 144–5
infection, death in myocarditis due to, *May*, 414
obstruction in pneumonia complicating congenital heart disease, *May*, 312
Rest in heart failure, *May*, 265
Rheumatic carditis, acute, *May*, 216–17
Rheumatic fever
and rheumatic heart disease, treatment and prevention, *May*, **213–28**
diagnosis, *May*, 213–15
heart failure in, digitalis in, *May*, 222–3
overdiagnosis, *May*, 215
prevention of initial attacks, *May*, 225–7
prevention of recurrences, *May*, 223–5
treatment, *May*, 217–23
Rheumatic heart disease and rheumatic fever, treatment and prevention, *May*, **213–28**
Rhythm, coronary sinus, *May*, 320
Roentgen evaluation in cleft palate, *Feb.*, **183–200**
Roentgen examination
in acyanotic congenital heart disease, *May*, 299, 300
in cardiac failure, *May*, 252, 253, 254

SALICYLATES in rheumatic fever, *May*, 218, 219, 220
Saline solution
for airway obstruction in pneumonia complicating acyanotic congenital heart disease, *May*, 312
for gastric aspiration, *Feb.*, 5
for repair of stool losses, *Feb.*, 5
in dehydration, *Feb.*, 5
in hyponatremia, *Feb.*, 9
Salivary glands in cystic fibrosis of pancreas, *Feb.*, 143
Salt. See also *Sodium chloride.*
restriction in heart failure, *May*, 265
Sarcoma botryoides, *Feb.*, 51
Saventrine. See *Isoprenaline hydrochloride.*
Secobarbital (Seconal) in cardiac arrhythmias, *May*, 358
Seconal. See *Secobarbital.*
Sedation
in pneumonia complicating acyanotic congenital heart disease, *May*, 311
postoperative, in cyanotic congenital heart disease, *May*, 288
Sedatives in cardiac arrhythmias, *May*, 358
Senning operation for complete transposition of great vessels, *May*, 280
Sensitization, bacterial, in asthma, *Feb.*, 21–2
Septal defect, ventricular. See *Ventricular septum, defect.*
Serpasil. See *Reserpine.*
Sex, nuclear, *Feb.*, 175–6
Shock
from cystic fibrosis, fluid therapy in, *Feb.*, 11–12
hypovolemic, in newborn, *May*, 374
in diarrhea, *Feb.*, 6
blood transfusion for, *Feb.*, 5, 6
medical, *May*, **465–81**
accompanying infection, *May*, 466–9
treatment, *May*, 469–79
Shock syndrome in bacteremia, *May*, 468
Shunt
blood. See *Blood, shunt.*
operations in tetralogy of Fallot, *May*, 271
Sinoatrial heart block, *May*, 341–2
Sinus
aortic. See *Aortic sinus.*
coronary, anomalous communication of coronary artery with, *Feb.*, 62
Sinus arrhythmia, *May*, 319–20
Sinus bradycardia, *May*, 318–19
Sinus node, rhythms originating from, *May*, 316–22
Sinus of Valsalva fistula, *Feb.*, 119
Sinus rhythm, coronary, *May*, 320

Sinus tachycardia, *May*, 317–18
Sinus venosus
defects with atrial septal defect, *Feb.*, 123
type of atrial septal defect, *Feb.*, 79
Skeleton. See *Bones.*
Skin diseases, fluid therapy in, *Feb.*, 12–13
Sodium
in respiratory distress syndrome, *May*, 381
loss in cystic fibrosis of pancreas, *Feb.*, 143
Sodium bicarbonate
in acidosis, *Feb.*, 5
in birth asphyxia, *May*, 371
in cardiac arrest, *May*, 355
in hypertonic dehydration, *Feb.*, 9
in respiratory distress syndrome, *May*, 387
postoperative use, *May*, 284
Sodium chloride. See also *Saline solution; Salt.*
in cystic fibrosis of pancreas, *Feb.*, 144
Sodium lactate
in cardiac arrhythmias, *May*, 360, 361
in heart block, *May*, 348
Sodium nitroprusside in hypertension, *May*, 454
Sodium Versenate. See *Bisodium ethylene diamine tetraacetic acid.*
Sounds, cardiac. See *Heart, murmurs and sounds.*
Speech physiology, *Feb.*, 184–5
Spironolactone (Aldactone) in cardiac arrhythmias, *May*, 358
Staphylococci, endocarditis, *May*, 489–90
Stenosis. See under organ or region affected.
Steroid nucleus of glycosides, *May*, 231
Steroid therapy
in allergy, *Feb.*, 18–21
in eczema, *Feb.*, 20, 21
influence on adrenals, *Feb.*, 20
side effects, *Feb.*, 19
Stokes-Adams syndrome, treatment, *May*, 348
Stomach. See also *Gastrointestinal tract.*
aspiration, saline solution for, *Feb.*, 5
Stools. See *Feces.*
Streptococcus viridans, endocarditis, *May*, 487–9
Streptomycin
in staphylococcal endocarditis, *May*, 490, 493
in streptococcal endocarditis, *May*, 488, 493
prophylaxis against bacterial endocarditis, *May*, 492
Subaortic stenosis
distal to ventricular septal defect, *Feb.*, 70
Subaortic stenosis (*continued*)
proximal to ventricular septal defect, *Feb.*, 70
Subpulmonary stenosis
and mitral atresia with common ventricle, *Feb.*, 94
and normal great vessels with tricuspid atresia, *Feb.*, 98
and transposed great vessels, with tricuspid atresia, *Feb.*, 98
and ventricular septal defect, with transposition of great vessels, *Feb.*, 90
intact ventricular septum and closed ductus arteriosus, with transposition of great vessels, *Feb.*, 90
with common ventricle, *Feb.*, 94
Sugar linkage of glycosides, *May*, 230
Sulfadiazine for prevention of recurrences of rheumatic fever, *May*, 224
Supraventricular tachycardia, *May*, 324–30
Surgery. See also *Drainage.*
blood pressure response, *May*, 461
for hypertension, *May*, 461
gynecologic, *Feb.*, **45–54**
relation of congenital anomalies to, *Feb.*, 46–50
relation of vaginal discharge to, *Feb.*, 50–52
in cystic fibrosis of pancreas, *Feb.*, 145
pediatric, advances in, *Feb.*, **33–44**
disappointments, *Feb.*, 42–3
the future, *Feb.*, 43
Surgical patients, fluid therapy in, *Feb.*, 9–10
Sweat glands in cystic fibrosis of pancreas, *Feb.*, 143
treatment, *Feb.*, 146
Sweat test in cystic fibrosis of pancreas, *Feb.*, 144
Sweating, excessive, in acyanotic congenital heart disease, *May*, 297
Syndrome. See specific syndromes.

TACHYCARDIA
paroxysmal, atrial, with block, *May*, 330–31
repetitive, *May*, 330
sinus, *May*, 317–18
supraventricular, *May*, 324–30
clinical signs and symptoms, *May*, 326–7
electrocardiogram, *May*, 327
etiology, *May*, 325–6
treatment, *May*, 327–30
ventricular, *May*, 338–40
treatment, *May*, 339–40
Taussig-Bing complex or deformity, *Feb.*, 84, 133

Tear glands in cystic fibrosis of pancreas, *Feb.*, 143
Temperature, environmental, neutral, for birth asphyxia, *May*, 372
Tents, mist, in cystic fibrosis of pancreas, *Feb.*, 144–5
Teratoma, cystic, of ovary, *Feb.*, 52
Test, sweat, in cystic fibrosis of pancreas, *Feb.*, 144
Testes. See also *Gonads.*
  undescended, *Feb.*, 41
Testicular feminization, *Feb.*, 49
Tetany, postacidotic, calcium gluconate in, *Feb.*, 5
Tetracycline in staphylococcal endocarditis, *May*, 490, 493
Tetralogy of Fallot, *Feb.*, 92, 134; *May*, 270–74
  complete correction, *May*, 271–2
  operation for older cyanotic children, *May*, 274
  patients and previous shunt operations, *May*, 273
  shunt operations, *May*, 271
  with pulmonic stenosis, *Feb.*, 131
THAM in acidosis due to birth asphyxia, *May*, 371, 372
Theophylline in cardiac arrhythmias, *May*, 359
Therapy
  cardiovascular, symposium on, *May*, **211–495**
  fluid. See *Fluids, therapy.*
Thiomerin. See *Mercaptomerin.*
Thorazine. See *Chlorpromazine.*
Thyroid, hyperthyroidism, hypertension due to, *May*, 448
Tranquilizers in cardiac arrhythmias, *May*, 358
Transfusion. See under *Blood.*
Translocation, chromosomal, *Feb.*, 174, 180
Transposition of great vessels. See *Blood vessels, great, transposition of.*
Trauma to external female genitalia, *Feb.*, 54
Tricuspid valve
  and right ventricle, hypoplasia of, *Feb.*, 98
  atresia, *Feb.*, 127, 134; *May*, 281–2
    with common ventricle and transposed great vessels, *Feb.*, 86
    with normal great vessels, *Feb.*, 86
    with subpulmonary stenosis and normal great vessels, *Feb.*, 98
    with subpulmonary stenosis and transposed great vessels, *Feb.*, 98
  Ebstein's malformation, *Feb.*, 98
Trigeminy, *May*, 334
Trimethaphan (Arfonad) in hypertension, *May*, 454
Trisomic syndromes, *Feb.*, 176–7
Trisomy. See under *Chromosomes.*
Truncus arteriosus, *Feb.*, 118–19, 127–8, 133
  persistent, *Feb.*, 84, 92
Tubes, visceral, replacement of esophagus, *Feb.*, 41
Tumors
  ovarian. See *Ovary, tumors.*
  pelvic, *Feb.*, 51–2
  Wilms's. See under *Kidneys, tumors.*
Turner's syndrome. See *Gonads, dysgenesis.*

URINARY tract. See also *Genitals.*
  catheter in, dangers of, *Feb.*, 43
Uterus, tumors, *Feb.*, 51

VAGINA
  absence, congenital, *Feb.*, 47
  discharge, relation to surgery, *Feb.*, 50–52
  foreign bodies in, *Feb.*, 50–51
  tumors, *Feb.*, 51
Valsalva, sinus of, fistula, *Feb.*, 119
Vascular. See *Blood vessels.*
Vasopressors in cardiac arrhythmias, *May*, 358
Veins. See also *Arteries; Blood vessels; Cardiovascular system; Pulse;* etc.
  pulmonary, anomalous connection to right atrium or a systemic vein, *Feb.*, 60
    anomalous pulmonary venous connection to, *Feb.*, 60
    drainage, anomalous, partial, with atrial septal defect, *Feb.*, 123
    total, *Feb.*, 129–30; *May*, 277–8
    stenosis, treatment, *May*, 307
    total anomalous connection, *Feb.*, 84
    venous return, partial anomaly of, *May*, 303–304
  systemic, anomalous pulmonary venous connection to, *Feb.*, 60
    connection with left atrium, *Feb.*, 100
    total anomalous connection, *May*, 278
Ventricles
  common, and transposed great vessels, with mitral atresia, *Feb.*, 86
    with tricuspid atresia, *Feb.*, 86

Ventricles (*continued*)
common, with subpulmonary stenosis, *Feb.*, 94
with subpulmonary stenosis and mitral atresia, *Feb.*, 94
with transposition of great vessels and patent atrioventricular valves, *Feb.*, 86
left, communication with right atrium, *Feb.*, 62
endocardial fibroelastosis of, treatment, *May*, 308
failure of, due to shunts, *May*, 266
origin of great vessels from, without pulmonary stenosis, *Feb.*, 74
rhythms arising in, *May*, 334–41
right, *Feb.*, 57
and tricuspid valve, hypoplasia of, *Feb.*, 98
communication of coronary artery with, *Feb.*, 64
double outlet, *Feb.*, 74
hypoplastic, and intact ventricular septum, pulmonary atresia with, *Feb.*, 96
large, with pulmonary atresia, *Feb.*, 130
normal-sized, and intact ventricular septum, with pulmonary atresia, *Feb.*, 96
origin of great vessels from, with pulmonary stenosis, *Feb.*, 92
without pulmonary stenosis, *Feb.*, 84
rupture of aortic sinus aneurysm into, *Feb.*, 64
single, *Feb.*, 133
complicating ventricular septal defect, *Feb.*, 120
with pulmonic stenosis, *Feb.*, 128, 131
Ventricular extrasystoles due to digitalis, *May*, 236
Ventricular fibrillation, *May*, 340–41
Ventricular hypertrophy, *Feb.*, 108
combined, *Feb.*, 108
with left-to-right shunt, *Feb.*, 123–4
with no shunt, *Feb.*, 116–17
with right-to-left shunt, *Feb.*, 134
left, *Feb.*, 108
with left-to-right shunt, *Feb.*, 117–21
with no shunt, *Feb.*, 110–13
with right-to-left shunt, *Feb.*, 125–8
with shunts arising from aorta, *Feb.*, 117–19
right, *Feb.*, 108
with left-to-right shunt, *Feb.*, 121–3
with no shunt, *Feb.*, 114–17
with right-to-left shunt, *Feb.*, 128–9
Ventricular premature beats, *May*, 334–8
Ventricular **septum**
defect, *Feb.*, 119–21, 124, 135
and interatrial communication with transposition of great vessels, *Feb.*, 88
and subpulmonary stenosis, with transposition of great vessels, *Feb.*, 90
complicated, *Feb.*, 120–21
inferior to crista supraventricularis, *Feb.*, 74
large, *Feb.*, 70
and corrected transposition of great vessels, *Feb.*, 72
and corrected transposition of great vessels with pulmonary vascular disease, *Feb.*, 80
and patent ductus arteriosus, interruption of aortic arch proximal to, *Feb.*, 82
with occlusive pulmonary vascular disease, *Feb.*, 80
with pulmonic stenosis, *Feb.*, 131
mitral insufficiency, and corrected transposition of great vessels, *Feb.*, 72
small, *Feb.*, 64
subaortic stenosis distal to, *Feb.*, 70
subaortic stenosis proximal to, *Feb.*, 70
treatment, *May*, 313–14
vs. pulmonic stenosis, *Feb.*, 116
with atrial septal defect, *Feb.*, 122–3
with pulmonary atresia, *Feb.*, 130; *May*, 276–7
with pulmonic stenosis, *Feb.*, 131
intact, and closed ductus arteriosus, transposition of great vessels with, *Feb.*, 90
and dilatation of pulmonary trunk, pulmonary valvular stenosis with, *Feb.*, 76
and hypoplastic right ventricle, pulmonary atresia with, *Feb.*, 96
and normal-sized right ventricle, with pulmonary atresia, *Feb.*, 96
and patent foramen ovale, with pulmonary stenosis, *Feb.*, 96
and right-to-left shunt at atrial level, with pulmonic stenosis, *May*, 274–5
subpulmonary stenosis and closed ductus arteriosus, with transposition of great vessels, *Feb.*, 90
Ventricular shunt, left-to-right, *May*, 304–305
Ventricular tachycardia, *May*, 338–40
Visceral tubes, replacement of esophagus, *Feb.*, 41

Vitamins
deficiency, in cystic fibrosis of pancreas, *Feb.*, 143
in cystic fibrosis of pancreas, *Feb.*, 145–6
Vomiting
due to digitalis, *May*, 235
fluid therapy in, *Feb.*, 11
Vulva, tumors, *Feb.*, 51

WATER intoxication, fluid therapy in, *Feb.*, 9
Wenckebach's phenomenon, *May*, 350–51
Wilms's tumor. See under *Kidneys, tumors.*
Window, aorticopulmonary, *Feb.*, 118
Wolff-Parkinson-White syndrome, *May*, 351–2
death in myocarditis due to, *May*, 419
Wyamine. See *Mephentermine.*

XYLOCAINE. See *Lidocaine.*